

SÍNCOPE

General:

1. Brignole M, Alboni P, Benditt D, et al. Guidelines on management (diagnosis and treatment) of syncope. *Eur Heart J* 2001;22:1256-1306.
2. Kapoor WN. Primary Care: Syncope. *N Engl J Med* 2000;343:1856-1862
3. Olshansky B. Management of the patient with syncope. *UpToDate* 2002;9(3)

Clasificación, Epidemiología y Pronóstico:

4. Hoefnagels WAJ, Padberg GW, Overweg J et al. Transient loss of consciousness: the value of the history for distinguishing seizure from syncope. *J Neurol* 1991;238:39-43.
5. Linzer M, Pontinen M, Gold DT, Divine GW et al. Impairment of physical and psychosocial function in recurrent syncope. *J Clin Epidemiol* 1991;44:1037-43.
6. Rose MS, Koshman ML, Spreng S, Sheldon R. The relationship between health related quality of life and frequency of spell in patients with syncope. *J Clin Epidemiol* 2000;35:1209-16
7. Soteriades ES et al. Incidence and prognosis of syncope. *N Engl J Med* 2002;347:878-885.

Diagnóstico:

8. Alboni P, Brignole M, Menozzi C et al. The diagnostic value of history in patients with syncope with or without heart disease. *J Am Coll Cardiol* 2001;37:1921-8.
9. Calkins H, Shyr Y, Frumin H et al. The value of clinical history in the differentiation of syncope due to ventricular tachycardia, atrioventricular block and neurocardiogenic syncope. *Am J Med* 1995;98:365-73.
10. Oh JH, Hanusa BH, Kapoor WN. Do symptoms predict cardiac arrhythmias and mortality in patients with syncope? *Arch Intern Med* 1999;159:375-80.
11. Panther R, Mahmood S, Gal R. Echocardiography in the diagnostic evaluation of syncope. *J Am Soc Echocardiogr* 1998;11:294-8.

Tratamiento:

12. Brignole M, Menozzi C, Lolli G et al. Long term outcome of paced and non paced patients with severe carotid sinus syndrome. *Am J Cardiol* 1992;69:1039-43.
13. Menozzi C, Brignole M, Lolli G et al. Follow-up of asystolic episodes in patients with cardioinhibitory, neurally mediated syncope and VVI pacemaker. *Am J Cardiol* 1993;72:1152-5.

14. Brignole M, Menozzi C, Del Rosso A et al. New classification of haemodynamics of vasovagal syncope: beyond the VASIS classification. Analysis of the pre-syncope phase of *tilt* test without and with nitroglycerine challenge. *Europace* 2000;2:66-76.
15. Moye A, Permanyer-Miralda G, Sagrista-Sauleda J et al. Limitation of head-up *tilt* test for evaluating the efficacy of therapeutic interventions in patients with vasovagal syncope: results of a controlled study of etilefrine versus placebo. *J Am Coll Cardiol* 1995;25:65-9.
16. Sutton R, Brignole M, Menozzi C et al. Dual-chamber pacing in treatment of neurally-mediated *tilt*-positive cardioinhibitory syncope. Pacemaker versus no therapy: a multicenter randomized study. *Circulation* 2000;102:294-9.
17. Kapoor WN. Evaluation and management of the patient with syncope. *JAMA* 1992;268:2553-60.
18. Madrid A, Ortega I, Rebollo GJ et al. Lack of efficacy of atenolol for the prevention of neurally-mediated syncope in highly symptomatic population: a prospective double-blind, randomized and placebo-controlled Study. *J Am Coll Cardiol* 2001;37:554-7.
19. Connolly SJ, Sheldon R, Roberts RS, Gent M. Vasovagal pacemaker study investigator. The North American vasovagal pacemaker study (VPS): A randomized trial of permanent cardiac pacing for the prevention of vasovagal syncope. *J Am Coll Cardiol* 1999;33:16-20.
20. Benditt DG. Cardiac pacing for prevention of vasovagal syncope (editorial). *J Am Coll Cardiol*. 1999;33:21-3.
21. Mathias CJ Kimber JR. Treatment of postural hypotension. *J Neurol Neurosurg Psychiatr* 1998;65:285-9.
22. McIntosh SJ, da Costa D, Kenny RA. Outcome of an integrate approach to the investigation of dizziness, falls and syncope in elderly patients referred to a syncope clinic. *Age and Aging* 1993;22:53-8.
23. Kapoor W, Snustad D, Petersen J et al. Syncope in the elderly *Am J Med* 1986;80:419-28.
24. Ballard C, Shaw F, McKeith, Kenny RA. Prevalence, assessment and associations of falls in dementia with Lewy Bodies and Alzheimer disease dementia. *Dementia* 1999;10:97-103.
25. Driscoll DJ, Jacobsen SJ, Porter CJ et al. Syncope in children and adolescents. *J Am Coll Cardiol* 1997;29:1039-45.

PALPITACIONES

1. Zimetbaum P, Josephson ME. Evaluation of patients with palpitations. *N Engl J Med* 1998;338:1369-73.
2. Kroenke K, Arrington ME, Mangelsdorff AD. The prevalence of symptoms in medical outpatients and the adequacy of therapy. *Arch Intern Med* 1990;150:1685-9.
3. Barsky, Arthur J. Palpitations, Arrhythmias, and Awareness of Cardiac Activity. *Annals of Internal Medicine* 2001;134:832-7.

4. Barsky AJ, Cleary PD, Barnett MC, Christiansen CL, Ruskin JN. The accuracy of symptom reporting by patients complaining of palpitations. *Am J Med.* 1994;97:214-21.
5. Barsky AJ, Ahern DK, Bailey ED, Delamater BA. Predictors of persistent palpitations and continued medical utilization. *J Fam Pract.* 1996;42:465-72.
6. Barsky AJ, Delamater BA, Clancy SA, Antman EM, Ahern DK. Somatized psychiatric disorder presenting as palpitations. *Arch Intern Med.* 1996;156:1102-8.
7. Barsky AJ, Cleary PD, Coeytaux RR, Ruskin JN. The clinical course of palpitations in medical outpatients. *Arch Intern Med.* 1995;155:1782-8.
8. Summerton N, Mann S, Rigby A et al. New-onset palpitations in general practice: assessing the discriminant value of items within the clinical history. *Fam Pract* 2001;18(4):383-92.
9. Weber BE, Kapoor WN. Evaluation and outcomes of patients with palpitations. *Am J Med* 1996;100:138-48.
10. Kinlay S, Leitch JW, Neil A et al. Cardiac event recorders yield more diagnosis and more cost-effective than 48-hour Holter monitoring in patients with palpitations. A controlled clinical trial. *Ann Intern Med* 1996;124:16-20.

MUERTE SÚBITA CARDÍACA

1. American Heart Association in Collaboration with the International Liaison Committee on Resuscitation (ILCOR). Guidelines 2000 for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. An International Consensus on Science. *Circulation* Vol 102, N° 8 (Suppl I). Resuscitation 2000; 46.
2. Monsieurs K, Handley A, Bossaert L. European Resuscitation Council Guidelines 2000 for Adult Basic Life Support. *Resuscitation* 48 (2001) 199-205.
3. Monsieurs K, Handley A, Bossaert L. European Resuscitation Council Guidelines 2000 for Automated External Defibrillation. *Resuscitation* 48 (2001) 207-209.
4. Latorre F, Nolan J, Robertson C, Chamberlain D. European Resuscitation Council Guidelines 2000 for Adult Advanced Life Support. *Resuscitation* 48 (2001) 211-221.
5. Kern K, Halperin H, Field J. New Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiac Care: Changes in the Management of Cardiac Arrest. *JAMA* 2001; 285 (10); 1267-69.
6. Caffrey SL, Willoughby PJ, Pepe PE, Becker LB. Public use of automated external defibrillators. *N Engl J Med* 2002 Octb 17;347 (16): 1242-7

TRATAMIENTO AGUDO DE LAS TAQUICARDIAS SINTOMÁTICAS

1. American Heart Association. Manual de reanimación cardiopulmonar avanzada. 1990 (1ª ed española).
2. Guidelines 2000 for cardiopulmonary resuscitation and emergency cardiovascular care. *Circulation* 2000; 102.

3. Almendral J, Marín E, Medina O, et al. Guías de práctica clínica de la Sociedad Española de Cardiología en arritmias cardíacas. *Rev Esp Cardiol* 2001; 54: 307-367.
4. Jazayeri MR, Akhtar M. Wide QRS complex tachycardia: electrophysiological mechanisms and electrocardiographic features, pag: 977- 989. En Zipes and Jalife, *Cardiac electrophysiology: from cell to bedside*, 2ª ed. W.B. Saunders Company, Philadelphia 1995.
5. Jaffe AS, Atkins JM, Field JM, Francis CK, Gibson RS, Goldberg SJ, et al. Recommended Guidelines for In-Hospital Cardiac Monitoring of Adults for Detection of Arrhythmia. *J Am Coll Cardiol* 1991; 18: 1431-1433.

TAQUICARDIAS SUPRAVENTRICULARES

1. Saoudi N, Cosio F, Waldo A, Chen SA, Iesaka Y, Lesh M, Saksena S, Salerno J, Schoels W. A classification of atrial flutter and regular atrial tachycardia according to electrophysiological mechanisms and anatomical bases; a Statement from a Joint Expert Group from The Working Group of Arrhythmias of the European Society of Cardiology and the North American Society of Pacing and Electrophysiology. *Eur Heart J*. 2001 Jul;22(14):1162-82.
2. Ganz LI, Friedman PL. Supraventricular tachycardia. *N Engl J Med* 1995;332:162-173.
3. Jackman WM, Beckman KJ, McClelland JH et al. Treatment of supraventricular tachycardia due to atrioventricular nodal reentry by radiofrequency catheter ablation of slow-pathway conduction. *N Engl J Med* 1992;327:313-8.
4. Swartz JF, Tracy C, Fletcher RD. Radiofrequency endocardial catheter ablation of accessory atrioventricular pathway atrial insertion sites. *Circulation* 1993;87:487-99.
5. Calkins H, el-Atassi R, Kalbfleisch SJ et al. Effect of operator experience on outcome of radiofrequency catheter ablation of accessory pathways. *Am J Cardiol* 1993;71:1104-5.
6. Chen SA, Chiang CE Yang CJ et al. Sustained atrial tachycardia in adult patients: electrophysiological characteristics, pharmacological response, possible mechanisms, and effects of radiofrequency ablation. *Circulation* 1994;90:1262-78.
7. Morady F. Radio-frequency ablation as treatment for cardiac arrhythmias. *N Engl J Med* 1999;340:534-44.
8. Zipes et al. ACC/AHA Guidelines for Clinical Intracardiac Electrophysiological and Catheter Ablation Procedures. *JACC* Vol. 26, 1995: 555-73.

FIBRILACIÓN AURICULAR

1. ACC/AHA/ESC guidelines for the management of patients with atrial fibrillation (*Eur Heart J* 2001 Oct;22(20):1852-923; *Circulation* 2001 Oct 23;104(17):2118-50 and *J Am Coll Cardiol* 2001 Oct;38(4):1231-66).
2. Go AS, Hylek EM, Phillips KA, Chang Y, Henault LE, Selby JV, Singer DE. Prevalence of diagnosed atrial fibrillation in adults. National implications for rhythm management

- and stroke prevention. The anticoagulation and risk factors in atrial fibrillation (ATRIA) study. *JAMA* 2001; 285:2370-2375.
3. Segal JB, McNamara RL, Miller MR, Powe NR, Goodman SN, Robinson KA, Bass EB. Anticoagulants or antiplatelet therapy for non-rheumatic atrial fibrillation and flutter (Cochrane Review). In: *The Cochrane Library*, Issue 2 2002. Oxford: Update Software
 4. Heras M, Fernández Ortiz A, Gómez Guindal JA, Iriarte JA, Lidón R. Guías de actuación clínica de la Sociedad Española de Cardiología. Recomendaciones para el uso del tratamiento antitrombótico en cardiología. *Rev Esp Cardiol* 1999; 52: 801-820.
 5. Petersen P, Boysen G, Godtfredsen J, Andersen ED, Andersen B. Placebo-controlled, randomized trial of warfarin and aspirin for prevention of thromboembolic complications in chronic atrial fibrillation. The Copenhagen AFASAK study. *Lancet* 1989;1:175-179.
 6. The SPAF Investigators. The Stroke Prevention in Atrial Fibrillation Study Group Investigators: Final results. *Circulation* 1991;84:527-539.
 7. Connolly SJ, Laupacis A, Gent M, Toberts RS, Cairns JA, Joyner C, for the CAFA study co investigators. Canadian atrial fibrillation anticoagulation (CAFA) study. *J Am Coll Cardiol* 1991;18:349-355.
 8. Ezekowitz MD, Bridgers SL, James KE, Carliner NH, Colling CL, Gornik CC, Krause Steinrauf H, Kurtzke JF, Sarkis MN, Radford MJ, Rickles FR, Shabetai R, Deykin D, for the Veterans Affairs Stroke Prevention in Nonrheumatic Atrial Fibrillation Investigators. Warfarin in the prevention of stroke associated with nonrheumatic atrial fibrillation. *N Eng J Med* 1992;327:1406-1412.
 9. The Boston area anticoagulation trial for atrial fibrillation investigators. The effect of low-dose warfarin on the risk of stroke in patients with nonrheumatic atrial fibrillation. *N Eng J Med*. 1990; 323:1505.
 10. European atrial fibrillation trial study group. Secondary prevention in non-rheumatic atrial fibrillation after ischaemic attack or minor stroke. *Lancet* 1993; 342:1255-1262.
 11. Stroke Prevention in Atrial Fibrillation investigators. Adjusted-dose warfarin versus low-intensity, fixed-dose warfarin plus aspirin for high-risk patients with atrial fibrillation: Stroke prevention in atrial fibrillation III randomised clinical trial. *Lancet* 1996; 348:633-638.
 12. The Spaf III writing committee for the stroke prevention in atrial fibrillation investigators. Patients with nonvalvular atrial fibrillation at low risk of stroke during treatment with aspirin. Stroke Prevention in Atrial Fibrillation III study. *JAMA* 1998; 279:1273-1277.
 13. Van der Meer, FJ, Rosendaal FR; Vandenbroucke JP, Briet E. Bleeding complications in oral anticoagulant therapy. An analysis of risk factors. *Arch Intern Med* 1993; 153:1557-1562.
 14. Atrial fibrillation follow-up investigation of rhythm management -- the AFFIRM study design. The Planning and Steering Committees of the AFFIRM study for the NHLBI AFFIRM investigators. *Am J Cardiol*. 1997 May 1;79(9):1198-202.

15. Mead GE, Flapan AD, Elder AT. Electrical cardioversion for atrial fibrillation and flutter (Cochrane Review). In: The Cochrane Library, Issue 3 2002. Oxford: Update Software.53:1557-1562
16. Falk RH. Atrial Fibrillation. N Eng J Med 2001; 344: 1067-78.
17. Almendral Garrote J, Marín Huerta E, Medina Moreno O, Peinado Peinado R, Pérez Álvarez L, Ruiz Granell R et al. Guías de práctica clínica de la Sociedad Española de Cardiología en arritmias cardíacas. Rev Esp Cardiol 2001; 54: 307-367
18. Copley SE, Antman EM, Berlin JA, Hewitt P, Chalmers TC. Efficacy and safety of quinidine therapy for maintenance of sinus rhythm after cardioversion: a meta-analysis of randomized controlled trials. Circulation 1990;82:1106-16.
19. Naccarelli GV, Dell'Orfano JT, Wolbrete DL, Patel HM, Luck JC. Cost-effective management of acute atrial fibrillation: role of rate control, spontaneous cardioversion, medical and direct current cardioversion, transesophageal ecocardiography, and antiembolic therapy. Am J Cardiol 2000; 85: 36D-45D.
20. Klein EA. Assessment of cardioversion using transesophageal ecocardiography (TEE) multicenter study (ACUTE I): Clinical outcomes at eight weeks. J Am Coll Cardiol 2000; 36:324.
21. Cosio FG, López-Gil M, Goicolea A, et al. Radiofrequency ablation of the inferior vena cava-tricuspid valve isthmus in common atrial flutter. Am J Cardiol 1993;71:705-709.
22. Wellens HJJ. Contemporary management of atrial flutter. Circulation 2002;106:649-52.

ARRITMIAS VENTRICULARES

1. Guías de práctica clínica de la Sociedad Española de Cardiología sobre el desfibrilador automático implantable. Pérez Villacastín J, Carmona JR, Hernández A, Marín E, Merino JL, Ormaetxe J, Moya A. Rev Esp Cardiol 1999; 52: 1083-1104.
2. ACC/AHA guidelines for implantation of cardiac pacemakers and antiarrhythmia devices. Gregoratos et al. J Am Coll Cardiol 1998; 31: 1175-1209.
3. Task force on sudden cardiac death of the European Society of Cardiology. Priori SG, Aliot E, Blomstrom-lundqvist C, Bossaert L, Breithardt G, Brugada P, et al. Eur Heart J 2001; 22: 1374-1450.
4. Guías de práctica clínica de la Sociedad Española de Cardiología en arritmias cardíacas. Almendral J, Marín E, Medina O, Peinado R, Pérez L, Ruiz R, Viñolas X. Rev Esp Cardiol 2001; 54: 307-367.
5. ACC/AHA clinical competence statement on invasive electrophysiology studies, catheter ablation and cardioversion. Tracy CM, Akhtar M, Di Marco JP, Packer DL, Weitz HH. J Am Coll Cardiol 2000; 36: 1725-1736.
6. Guidelines on management (diagnosis and treatment) of syncope. Task force on syncope, European Society of Cardiology. Brignole M, Alboni P, Benditt D, Bergfeldt L, Blanc JJ, Thomsen PEB, et al. Eur Heart J 2001; 22: 1256-1306.

7. Enfermedades cardiovasculares y conducción. Alberto García Lledo. Pag 71-82. En: Manual sobre aspectos médicos relacionados con la capacidad de conducción de vehículos. Dirección General de Tráfico 2001. Ed. Doyma, SL.
8. Recomendaciones de la Sociedad Española de Cardiología sobre la conducción de vehículos, pilotaje de aviones y actividades subacuáticas en cardiópatas. García Cossío F, Alberca MT, Rubio J, Grande A, Viqueira JA, Curcio A. Rev Esp Cardiol 2001; 54: 476-490.
9. Guías de práctica clínica de la Sociedad Española de Cardiología sobre equipamientos y requerimientos en electrofisiología. Brugada J, Alzueta FJ, Asso A, Farré G, Olalla JJ, Tercedor L. Rev Esp Cardiol 2001; 54: 887-891.
10. Implantable cardioverter defibrillator: arrhythmias. A rapid and systematic review. Parkes J, Bryan J, Milne R. Health Technol Assess 2000; 4 (26).
11. Risk stratification of patients with ventricular arrhythmias. Camm AJ, Katritsis DG. En: Zipes and Jalife. Cardiac electrophysiology. From cell to bedside. 3rd ed. WB Saunders Company 2000.
12. Guidelines for clinical intracardiac electrophysiological and catheter ablation procedures. Zipes DP, Dimarco JP, Gillette PC, Jackman WM, Myerburg RJ, Rahimtoola S, et al. J Am Coll Cardiol 1995;26:555-73.
13. ACC/AHA/NASPE 2002 Guideline Update for Implantation of Cardiac Pacemakers and Antiarrhythmia Devices: Summary Article: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (ACC/AHA/NASPE Committee to Update the 1998 Pacemaker Guidelines). Gregoratos G, Abrams J, Epstein AE, Freedman RA, Hayes DL, Hlatky MA, Kerber RE, Naccarelli GV, Schoenfeld MH, Silka MJ, Winters SL.. Circulation. 2002;106:2145-2161.

BRADIARRITMIAS

1. Gregoratos G, Abrams J, Epstein AE, et al: ACC/AHA/NASPE 2002 Guideline Update for Implantation of Cardiac Pacemakers and Antiarrhythmia Devices: Summary Article. A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. Circulation 2002;106:2145-2161.
2. Gregoratos G, Cheitlin MD, Conill A, et al: ACC/AHA guidelines for implantation of cardiac pacemakers and antiarrhythmia devices: Executive Summary-a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Pacemaker Implantation). Circulation 97; 1325, 1998.
3. Oter R, Montiel JJ, Roldán T, Bardají A, Molinero E. Guías de práctica clínica de la Sociedad Española de Cardiología en marcapasos. Rev Esp Cardiol 53; 947-966, 2000.
4. Hayes DL, Naccarelli GV, Furman S, Parsonnet V. Report of the NASPE policy conference on training requirements for permanent pacemaker selection, implantation and follow-up North American Society of Pacing and Electrophysiology. PACE 1994; 176: 6-12.

5. Mangrum JM, DiMarco JP. Primary Care: The evaluation and Management of Bradycardia. N Engl J Med 342; No 10: 703. March 2000.
6. The Sanford Guide to Antimicrobial Therapy, pg 117. 2000
7. Lamas GA, Pashos CL, Normand SLT, McNeil B. Permanent pacemaker selection in the elderly and subsequent survival in elderly Medicare pacemakers recipients. Circulation 1995; 91: 1063-1069.
8. Connolly SJ, Sheldon RS, Gent M, Roberts RS, VPS Investigators. A randomized trial of cardiac pacing for recurrent fainting: the Vasovagal Pacemaker Study(VPS). Presented at the North American Society of Pacing and Electrophysiology 18th Annual Scientific Session; en Nueva Orleans, mayo de 1997.
9. Anderson HR, Nielsen JC, Thomsen PEB, Thuesen LMP, Vesterlund T, Pedersen AK et al. Long-term follow up of patients from a randomised trial of atrial versus ventricular pacing for sick-sinus syndrome. Lancet 1997; 350: 1210-1216.
10. Recommendations for pacemaker prescription for symptomatic brady-cardia: report of a working party of the British Pacing and Electrophysiology Group. Br Heart J. 1991;66:185-191.
11. Barold SS. Indications for permanent cardiac pacing in first-degree AV block: class I, II, or III? Pacing Clin Electrophysiol. 1996;19:747-751.
12. Englund A, Bergfeldt L, Rehnqvist N, Astrom H, Rosenqvist M. Diagnostic value of programmed ventricular stimulation in patients with bifascicular block: a prospective study of patients with and without syncope. J Am Coll Cardiol. 1995;26:1508 -1515.
13. Gammage MD. Temporary cardiac pacing. Heart 2000; 83: 715-720

ANOMALÍAS ECG

1. Task force on sudden cardiac death of the european society of cardiology. Priori SG, Aliot E, Blomstrom-lundqvist C, Bossaert L, Breithardt G, Brugada P, et al. Eur Heart J 2001; 22: 1374-1450.
2. Guías de práctica clínica de la Sociedad Española de Cardiología en arritmias cardíacas. Almendral J, Marín E, Medina O, Peinado R, Pérez L, Ruiz R, Viñolas X. Rev Esp Cardiol 2001; 54: 307-367.
3. Guidelines on management (diagnosis and treatment) of syncope. Task force on syncope, European Society of Cardiology. Brignole M, Alboni P, Benditt D, Bergfeldt L, Blanc JJ, Thomsen PEB, et al. Eur Heart J 2001; 22: 1256-1306.
4. ACC/AHA guidelines for implantation of cardiac pacemckers and antiarrhythmia devices. Gregoratos et al. J Am Coll Cardiol 1998; 31: 1175-1209.
5. Are right and left bundle branch block similarly associated with increased risk of mortality?. Behar S. Am J Med 2001; 110: 318-319.

CUIDADOS DE ENFERMERÍA EN EL PACIENTE CON ARRITMIAS

1. Marion Johnson, Meridean Maas, Sue Moorhead. Clasificación de resultados de enfermería(CRE), Nursing Outcomes Classification (NOC). Editorial Harcourt/Mosby 2001.

2. Joanne C. Mc Closkey, gloria M Bulechek. Clasificación de intervenciones de enfermería (CIE), Nursing Interventions Classification (NIC). Editorial síntesis 1999.
3. Plan andaluz de urgencias y emergencias más frecuentes en el adulto. SAS 2000.
4. Perry Potter. Enfermería clínica, técnicas y procedimientos. Editorial Harcourt-Brace, 1999.
5. Pamela Stinson Kidd, Kathleen Dorman Wagner. Enfermería clínica avanzada. Editorial síntesis 1997.
6. Guía de Práctica clínica para el cuidado del paciente cardiológico del PAUE, Revisión nº 0 de febrero de 2001.
7. Diagnósticos enfermeros: definición y clasificación. 2001-2002. editorial Harcourt.
8. Montserrat Figueras López, DUE Hospital Universitario Virgen de Las Nieves. Cuidados de enfermería en un laboratorio de electrofisiología clínica cardíaca. 2001.

TRANSPORTE SANITARIO DEL PACIENTE CON ARRITMIA

1. Plan andaluz de urgencias y emergencias. Traslado de pacientes críticos, protocolo de transporte sanitario primario-urgente. Consejería de Salud, Junta de Andalucía. 2000.
2. Real Decreto 619/1998, de 17 de Abril de 1998, características técnicas del equipamiento sanitario y dotación de personal de los vehículos del transporte por carretera. 1998.