

BIBLIOGRAFÍA

1. ACOG. Carcinoma of the endometrium. ACOG Technical Bulletin nº 162. December 1991.
2. Ash SJ, Farrell SA, Plowderew G Endometrial biopsy in DUB. *J Reprod Med* 1996; 41: 892-6.
3. Betocchi S, Ceci C, Vicino M, Marelo P, Impechero L, Selvassi L. Diagnostic inadequacy of Dilatation and Curettage. *Fertil Steril* 2001; 75: 603-5.
4. Bourne T, Hamberger L, Hahlin M, Granberg S. Ultrasound in gynecology: endometrium. *Int J Gynaecol Obstet* 1997; 56: 115-27.
5. Briley M, Lindsell DR y cols. The role of transvaginal ultrasound in the investigation of women with post-menopausal bleeding. *Clin Radiol* 1998; 53: 502-5.
6. Brooks SE, Yeatts-Peterson M, Baker SP, Reuter KL. Thickened endometrial stripe and/or endometrial fluid as a marker of pathology: fact or fancy?. *Gynecol Oncol* 1996; 63: 19-24.
7. Carlson KJ, Schiff I y cols. Alternatives to hysterectomy for menorrhagia. *N Engl J Med* 1996; 335: 198-9.
8. Chimbira TH, Anderson ABM, Turnbull AC. Relation between menstrual blood loss a patient's subjective assessment of loss, duration of bleeding, number of sanitary towels used, uterine weight and endometrial surface. *Br J Obstet Gynaecol* 1980; 87: 603-9.
9. Claessens EA, Cowell CA y cols. Accute adolescent menorrhagia. *Am J Obstet Gynecol* 1981; 139: 277-80.
10. Cohen BJB, Gibor Y y cols. Anaemia and menstrual blood loss. *Obstetrics and Gynecology Survey* 1980; 35:597-618.
11. Cooper JM, Erickson M y cols L. Endometrial Sampling techniques in the diagnosis of abnormal uterine bleeding. *Obstet Gynecol Clin North Am* 2000; 27: 235-44.
12. Dijkhuizen FP, Brolmann HA, Potters AE, Bongers MMT, Heinz AP. The accuracy of transvaginal ultrasonography in the diagnosis of endometrial abnormalities. *Obstet Gynecol* 1996; 87: 345-9.
13. Dubinsky TJ, Parvey HR, Gormaz G, Curtis M, Maklad N. Transvaginal hysterosonography: comparison with biopsy in the evaluation of postmenopausal bleeding. *J Ultrasound Med* 1995; 14: 887-93.
14. Emanuel MH, Wamsteker K, Lanneg FB Is D. & C obsolete for diagnosing intrauterine disorders in premenopausal patients with persistent abnormal uterine bleeding?. *Acta Obstet Gynecol Scand* 1997; 76: 65-8.
15. Feldman S, Berkowitz RS, Tosteson AN. Cost-effectiveness of strategies to evaluate posmenopausal bleeding. *Obstet Gynecol* 1993; 81: 968-75.

16. Gea M.T., Hernán-García M., Jiménez-Martín J.M. Cabrera A. Opinión de los usuarios sobre la calidad del Servicio de Urgencias del Centro Médico-Quirúrgico del Hospital Virgen de las Nieves. *Rev Calidad Asistencial* 2001; 16: 37-44.
17. Gimpelson RJ, Rappold HO y cols. A comparative study between panoramic hysteroscopy with direct biopsies and dilatation and curettage. *Am J Obstet Gynecol* 1988; 158: 489-92.
18. Goldstein SR, Zeltser I, Horan CK, Snyder JR, Schwartz LB. Ultrasonography-based triage for perimenopausal patients with abnormal uterine bleeding. *Am J Obstet Gynecol* 1997; 177: 102-8.
19. González Rojas MA, Ravelo JR, Rodríguez AR. Cálculo de costes en la Cirugía Mayor Ambulatoria. En Curso de CMA. Pag 19-26 XXVI Congreso de la S.E.G.O. Valencia. 2001.
20. Grimes DA y cols. Diagnostic dilation and curretage: a reappraisal. *Am J Obstet Gynecol* 1982; 142: 1-6.
21. Guido Rs, Kanbour-Shakir A, Rulin MC, Christopherson WA. Pipelle endometrial sampling: sensivity in the detection of endometrial cancer. *J Reprod Med* 1995; 40: 553-5.
22. Haynes PJ, Hodgson H, Anderson ABM. Measurement of menstrual blood loss in patients complaining of menorrhagia. *Br J Obtet Gynaecol* 1997; 84: 763-8.
23. Hernán M., Jiménez J.M.; March J.C., Silió F. Calidad percibida por los clientes del Hospital Costa del Sol. Granada: Escuela Andaluza de Salud Pública, 1996.
24. Hernán M., Prieto M.A., Gutiérrez J.L., Martínez F., Pascual N. Expectativa, Calidad percibida y satisfacción de usuarios. Sobre los servicios sanitarios en Andalucía. Borrador preliminar. Granada. Escuela Andaluza de Salud Pública, 2001
25. Higham J, O'Brien PMS, Shaw RW. Assessment of menstrual blood loss using a pictorical chart. *Br J Obstet Gynaecol* 1990; 97: 734-39.
26. Iassa A, Cianferoni I, Ciatto S, Cecchini S, Campatelli C, Lo stumbo F. Hysteroscopy and endomerial cancer diagnosis and review of 2.007 consecutive examinations in self-refered patients. *Tumori* 1991; 77: 479-83.
27. Iyer V, Farquhar C, Jepson R. Oral contraceptive pills for heavy menstrual bleeding (Cochrane Review). En: *The Cochrane library, Issue 3, 2000*. Oxford: Update Software. *J Reprod Med* 1996; 41. 892-6.
28. Karlsson B, Granberg S, Wikland M, Ylostalo P, Torvid K, Marsal K, Valentin L. Transvaginal ultrasonography of the endometrium in women with postmenopausal bleeding: a Nordic multicenter study. *Obstet Gynecol* 1995; 172: 1488-94.
29. Kochli OR, Schar GN, Barjka M, Pok Lundquist J, Nussbauer R, Keller BJ, Haller U. Analyse der indication und resultate der fraktionierten Kurettage an einen grosen gynakologischen krankenfut. *Schweiz Med Wochenschr* 1996; 126: 69-76.
30. Larson DM, Johnson KK, Broste SK, Krawisz BR, Kresl JJ. Comparison of D&C and office endometrial biopsy in predicting final histopathologic grade in endometrial cancer. *Obstet Gynecol* 1995; 86: 38-42.

31. Levine D, Gosink BB, Johnson LA. Change in endometrial thickness in postmenopausal women undergoing hormone replacement therapy. *Radiology* 1995; 197: 603-8.
32. Lin MC, Gosink BB, Wolf SI, Feldesman MR, Stuenkel CA, Braly PS, Pretorius DH. Endometrial thickness after menopause: effect of hormone replacement. *Radiology* 1991; 180: 427-32.
33. Loffer FD y cols. Hysteroscopy with selective endometrial sampling compared with D&C for abnormal uterine bleeding: the value of a negative hysteroscopic view. *Obstet Gynecol* 1989; 73: 16-20.
34. Long CA y cols. Evaluation of patients with abnormal uterine bleeding. *Am J Obstet Gynecol* 1996; 175: 784-6.
35. Matorras R, Ocerin I y cols. Menorragias. Estado actual de los conocimientos. *Folia Clínica en Obstetricia y Ginecología* 2001; 25: 9-30.
36. Mencaglia L, Hamou JE y cols. Manual of gynecological hysteroscopy –diagnosis and surgery- Tuttingen: Endo-Press, 2001.
37. Mihm LM, Finnerty JJ, Jazaeri AA, Quick VA, Brumfield J, Connors AL. The accuracy of endometrial biopsy and saline sonohysterography in determining the etiology of abnormal uterine bleeding. *Obstet Gynecol* 2001; 57: 522-3.
38. Mira J.J., Galdón M., García E.I., et al. ¿Qué hace que los pacientes estén satisfechos?. Análisis de la opinión de pacientes y profesionales mediante la técnica Delphi. *Rev Calidad Asistencial* 1999; 14: 165-177.
39. New Zealand Guidelines Group. Guidelines for the management of heavy menstrual bleeding. *N Z Med J* 1999; 112: 174-7.
40. Pal L, Lapensee L, Toth TL, Isaacson KB. Comparison of office hysteroscopy, transvaginal ultrasonography and endometrial biopsy in evaluation of abnormal uterine bleeding. *J Soc Laparoendosc Surg.*1997; 1: 125-30.
41. Paragnis HB, Parulekar SV y cols. Significance of negative hysteroscopic view in abnormal uterine bleeding. *J Postgrad Med* 1992; 38: 62-4.
42. Rodríguez GC, Yaqub N, King ME. A comparison of the Pipelle device and the Vabra as measured by endometrial denudation in hysterectomy specimens: the Pi-device samples significantly less of the endometrial surface than the Vabra aspi. *Am J Obstet Gynecol* 1993; 168: 55-9.
43. Saidi MH, Sadler RK, Theis VD, Akright BD, Farhart SA, Villanueva GR. Comparison of sonography, sonohysterography, and hysteroscopy for evaluation of abnormal uterine bleeding. *J Ultrasound Med* 1997; 16: 587-91.
44. Serden SP y cols. Diagnostic hysteroscopy to evaluate the cause of abnormal uterine bleeding. *Obstet Gynecol Clin North Am* 2000; 27: 277-86.
45. Shaw RW, Allen I, Harper MA, Hemsall V, Hourahane J, Rees MCP, Smith SK, Sutton P. Management of menorrhagia in secondary care. *Good Medical Practices Guidelines*. Royal College of Obstetricians and Gynaecologist, Londres, 2001.

46. Shwayder JM y cols. Pathophysiology of abnormal uterine bleeding. *Obstet Gynecol Clin North Am* 2000; 27: 219-34.
47. Suprun HZ, Taendlen-Stolero B, Schwartz J, Ettinger M. Experience with Endopap endometrial sampling in the cytodagnosis of endometrial carcinoma and its precursor lesions. I. A correlative cytologic-histologic-hysteroscopic diagnostic pilot study. *Acta Cytol* 1994; 38: 319-23.
48. Symonds I y cols, Ultrasound, hysteroscopy and endometrial biopsy in the investigation of endometrial cancer. Review. *Best. Pract. Res. Clin. Obstet. Gynaecol.* 2001; 15 : 381-91
49. Tahir M, Bigrigg MA, Browning JJ, Brookes ST, Smith PA. A randomised controlled trial comparing transvaginal ultrasound, outpatient hysteroscopy and endometrial biopsy with inpatient hysteroscopy and curettage. *Br J Obstet Gynaecol* 1999; 106: 1259-64.
50. Taviani A, Braccini S, Toniazzi P, Pantani P, Costamagna V, Gambini G, Pancati V. L'ecografia transvaginale in pazienti con metrorragia de la postmenopausia. *Minerva Ginecol* 1995; 47: 369-72.
51. Van den Bosch T, Vandendael A, Wrantz PA, Lombard CJ. Endopap vs Pipelle sampling in the diagnosis of postmenopausal endometrial disease. *Eur J Obstet Gynecol Reprod Biol* 1996; 64: 91-4.
52. Wood C, Hurley VA, Leoni M. The value of vaginal ultrasound in the management of menorrhagia. *Aust N Z J Obstet Gynecol* 1993; 33: 198-200.
53. Word B. The fallacy of simple uterine curettage. *Obstet Gynecol* 1958; 12: 642-8.
54. Zeithaml V., Berry L.A., Parasuraman A. *Calidad total en la gestión de los servicios*. Madrid: Díaz de Santos, 1993.