

BIBLIOGRAFÍA

1. Adesunkamni AR, Badmos TA, Salako AA. **Groin hernia in patients 50 years of age and above pattern and outcome of management in 250 consecutive patient.** West Afr J Med 2000; 19(2): 142-147.
2. Alamo Martell MC, Artiles ruano MC et al. **Apoyo social funcional percibido por los pacientes en programa de atención domiciliaria en los medios rural y urbano.** Atención Primaria 1999; 24(1):15-16.
3. Bay-Nielsen M, Kehlet H, Strand I et al. **Quality assessment of 26,304 herniorrhaphies in Denmark: a prospective nationwide study.** Lancet 2001; 358 (9288): 1124-1128.
4. Bordons A, Cortes C, Dotor I et al. **Guía de descripción de procesos.** Consejería de Salud de la Junta de Andalucía. 2000.
5. Briones Pérez de la Blanca E, Fernández I, González Andrés I et al. **Guía para incorporar la mejor evidencia disponible en la gestión por procesos integrados (GPI).** Consejería de Salud de la Junta de Andalucía. 2000.
6. Chung RS, Rowald DY. **Meta-analysis of randomised controlled trials of laparoscópica vs conventional inguinal hernia repairs.** Surg Endosc 1999; 13:689-694.
7. Clark JL. **Ventral incisional hernia recurrence.** J Sur Res 2001; 99 (1): 33-39.
8. Clarke AD and Howat JMT. **Clinical indicators.** Ann R Coll Surg Engl 1999; 81: 434-436.
9. Distrito de Atención Primaria Sevilla Este-Sur. **Guía de Atención Domiciliaria 2000.**
10. Donahue Ph. **Aspectos teóricos de las hernias.** En Hernia 3^a ed. JB Lipincott Comp. Ed. Philadelphia. 1989: 78-89.
11. Gerbitz J, Rose N, Eberle C. **Quality control after hernia operation.** Swiss Surg 2001; 7 (3): 105-109.
12. Go Pm. **Overview of randomized trials in laparoscopic inguinal hernia repair.** Semin Laparosc Surg 1998; 5:238-241.
13. Jones KR, Burney RE, Peterson M et al. **Return to work after inguinal hernia repair.** Surgery 2001; 129:128-135.
14. Kingsnorth AN, Porter ChS, Bennet DH, Walker AJ, Hyland ME, Sodergren S. **Lichtenstein patch or Perfix plug- and- patch in inguinal hernia: a prospective double blind randomised controlled trial of short term outcome.** Surgery, 2000; 127: 276-278.
15. Lledó R, Prat A, vilella A et al. **Evaluación de las expectativas de los pacientes antes del ingreso en un centro de tercer nivel.** Medicina clínica 1998; 111 (6):211-215.

16. Luijendijk RW, Hop WC, Van den Tol MP et al. **A comparison of suture repair with mesh repair for incisional hernia.** The New England Journal of Medicine. 2000; 343: 392-398.
17. Majesky J. **Inguinal hernia in the Millennium.** The Journal of the South Carolina Medical Association. 2000; 96(12).
18. Marín J, Gallardo A, Pérez C, Marrero S. **Day case inguinal hernia repair under local anaesthesia with sedation.** Ambulatory Surgery 1994; 2(3):149-151.
19. Marín J, Gallardo A, Aguilar J et al. **Lichtenstein unilateral hernia repair: results of 961 cases in a day surgery unit.** Ambulatory Surgery 1998; 6:169-173.
20. McGugan E, Burton H, Nixon SJ et al. **Deaths following hernia surgery: room for improvement.** J R Coll Surg Edim 2000; 45 (3): 183-186.
21. Mori T, Souda S, Nezu R, Yoshikawa Y. **Results of performing mesh plug repair for groin hernia.** Surg Today 2001; 31(2): 129-32.
22. Nehme AE. **Groin hernias in elderly patients. Management and prognosis.** Am J Surg 1983; 146 (2): 257-260.
23. **NICE issues guidance on keyhole surgery for the treatment of inguinal hernias.** NICE 2001/001 Issued Jan 2001.
24. Petersen S, Henke G, Freitag M et al. **Deep prosthesis infection in incisional hernia repair: predictive factors and clinical outcome.** Eur J Surg 2001; 167 (6): 453-457.
25. Romacho O. **Gestión por procesos en el hospital de Zumárraga y Modelo Europeo de Excelencia: gestión y evaluación de la mejora continua.** Rev Calidad Asistencial 2000; 15: 142-150.
26. Scott NW, Webb K, Go PM et al. **Open mesh versus non-mesh repair of inguinal hernia (Cochrane review).** The Cochrane Library, 4, 2001. Oxford: Update Software.
27. Simons MP, Kleijnen J, Vangeldere D et al. **Role of the Shouldice technique in inguinal hernia repair: a systematic review of controlled trials and meta-analysis.** British Journal of Surgery; 1996; 83:734-738.
28. Society for Surgery of the Alimentary Tract. **Clinic Guideline.**
29. SSAT Patient Care Guidelines 2000. **Surgical Repair of Groin Hernia.**
30. Shulman AG, Amid PK Lichtenstein IL: **The safety of mesh repair for primary inguinal hernias: results of 3019 from five diverse surgical sources.** Am Surg 1992; 58: 256-261.
31. Shulman AG, Amid PK Lichtenstein IL: **A survey of non expert surgeons using the open tension free mesh patch repair for primary inguinal hernias.** Int Surg 1995; 80: 35-36.
32. E.U. Hernia Trialist Collaboration. **Mesh compared with non mesh methods of open groin hernia repair: systematic review of randomised controlled trials.** Br J Surg 2000; 87: 854-859.
33. E.U. Hernia Trialist Collaboration. **Laparoscopic compared with open methods of open groin hernia repair: systematic review of randomised controlled trials.** Br J Surg 2000; 87: 860-867.

34. Medical Research Council Laparoscopic **Groin Hernia Trial Group**. Cost-utility analysis of **open versus laparoscopic groin hernia repair: results from a multicentre randomised clinical trial**. Br J Surg 2001; 88: 653-661.
35. Circular 10/2001, de 11 de Octubre, de la Agencia Española del Medicamento. Ministerio de Sanidad y Consumo. 20607. BOE Nº 265 Lunes 5 Noviembre 2001.