

BIBLIOGRAFÍA

1. Acute pulmonary embolism: clinical outcomes in the International Cooperative Pulmonary Embolism Registry (ICOPER). *Lancet* 1999;353:1386-1389.
2. Alonso Ortiz del Río C, Medrano Ortega FJ, Romero Alonso A, Villar Conde E, Calderón Sandubete E, Marín León I y cols. Guía PRETEMED 2003. Guía de profilaxis de enfermedad tromboembólica en patología médica. Córdoba: SADEMI, 2003.
3. American College of Radiology (ACR) Task Force on Appropriateness criteria: Expert Panel on Cardiovascular Imaging. ACR Appropriateness criteria for acute chest painsuspected pulmonary embolism. *Radiology* 2000; 215 (Suppl):15-21.
4. Baglin T. Evidence-based management of deep vein thrombosis and pulmonary embolus. *Clin Med* 2001;1:438-41.
5. Blann AD, Lip GYH. Venous thromboembolism. *BMJ* 2006; 332: 215-9.
6. Bloomgarden DC, Rosen MP. Newer diagnostic modalities for pulmonary embolism. Pulmonary angiography using CT and MR imaging compared with conventional angiography. *Emerg Med Clin North Am* 2001;19:975-94.
7. British Thoracic Society Standards of Care Committee Pulmonary Embolism Guideline Development Group. British Thoracic Society guidelines for the management of suspected acute pulmonary embolism. *Thorax* 2003;58:470–484.
8. Büller HR, Agnelli G, Hull RD, Hyers TM, Prins MH, Raskob GE. Antithrombotic therapy for venous thromboembolic disease: the seventh ACCP conference on antithrombotic and thrombolytic therapy. *Chest* 2004; 126; 401S-428S.
9. Campbell IA, Bentley DP, Prescott RJ, Routledge PA, Shetty HG, Williamson IJ. Anticoagulation for three versus six months in patients with deep vein thrombosis or pulmonary embolism, or both: randomised trial. *BMJ* 2007; 334: 674-81.
10. Cereza G, Danés I. Eficacia y seguridad de heparinas de bajo peso molecular en el tratamiento de la tromboembolia pulmonar. *Med Clin (Barc)* 1999; 113: 115-116.
11. Cicicottosto C, Goodman LR, Washington L, Quiroz FA. Indirect CT venography following CT pulmonary angiography: spectrum of CT findings. *J Thorac Imaging* 2002; 17:18-27.
12. Dalen JE. Trombolytic therapy in patients with submassive pulmonary embolism. *N Engl Med.* 2003 Jan 23; 348(4): 357-359.
13. Dong B, Jirong Y, Liu G, Wang Q, Wu T. Tratamiento trombolítico para el embolismo pulmonar (Revisión Cochrane traducida). En: La Biblioteca Cochrane Plus, 2007 Número 1. Oxford: Update Software Ltd. Disponible en: <http://www.update-software.com>. (Traducida de The Cochrane Library, 2007 Issue 1. Chichester, UK: John Wiley & Sons, Ltd.).

14. Van Dongen CJJ, Van den Belt AGM, Prins MH, Lensing AWA. Dosis fija de heparina de bajo peso molecular por vía subcutánea versus dosis ajustada de heparina no fraccionada para el tromboembolismo venoso. (Revisión Cochrane traducida). En: La Biblioteca Cochrane Plus, 2007 Número 1. Oxford: Update Software Ltd. Disponible en: <http://www.update-software.com>. (Traducida de The Cochrane Library, 2007 Issue 1. Chichester, UK: John Wiley & Sons, Ltd.).
15. Douketis JD. Prognosis in pulmonary embolism. Curr Opin Pulm Med 2001;7:354-9.
16. Edlow JA. Emergency department management of pulmonary embolism. Emerg Med Clin North Am 2001;19:995-1011.
17. Fedullo PF, Auger WR, Kerr KM, Rubin LJ. Chronic thromboembolic pulmonary hypertension. N Engl J Med 2001; 345:1465-72.
18. Ferretti G, Bria E, Giannarelli D, Carlini P, Felici A, Mandala M, Papaldo P, Fabi A, Ciccarese M, Cuppone F, Cecere FL, Nuzzo C, Terzoli E, Cognetti F. Is recurrent venous thromboembolism after therapy reduced by low-molecular-weight heparin compared with oral anticoagulants? Chest. 2006; 130:1808-16.
19. Fink KS, Miller WC. Bedside Diagnostic Tests for Pulmonary Embolism. JAMA 2001;285 (18):2326-7.
20. Geerts WH, Pineo GF, Heit JA, Bergquist D, Lassen MR, Cohwell CW, Ray JG. Prevention of venous thromboembolism. The seventh ACCP conference on antithrombotic and thrombolytic therapy. Chest 2004; 126; 338S-400S.
21. Goldhaber SZ. Prophylaxis of Venous Thrombosis. Curr treat options cardiovasc Med 2001; 3 (3):225-235.
22. Goldhaber SZ. Echocardiography in the management of pulmonary embolism. Ann Intern Med. 2002;136:691-700.
23. Goodman LR. Venous thromboembolic disease: CT evaluation. Q J Nucl Med 2001;45:302-10.
24. Guías de Práctica Clínica de la Sociedad Española de Cardiología en tromboembolismo e hipertensión pulmonar. Rev Esp Cardiol 2001; 54:194-210.
25. Van der Heijden JF, Hutten BA, Büller HR, Prins MH. Antagonistas de la vitamina K o heparina de bajo peso molecular para el tratamiento a largo plazo del tromboembolismo venoso sintomático (Revisión Cochrane traducida). En: La Biblioteca Cochrane Plus, 2007 Número 1. Oxford: Update Software Ltd. Disponible en: <http://www.update-software.com>. (Traducida de The Cochrane Library, 2007 Issue 1. Chichester, UK: John Wiley & Sons, Ltd.).
26. Hogg K, Dawson D, Mackway-Jones K. Outpatient diagnosis of pulmonary embolism: the MIOPED (Manchester Investigation Of Pulmonary Embolism Diagnosis) study. Emerg. Med. J. 2006; 23:123-127.
27. Hutten BA, Prins MH. Duración del tratamiento con antagonistas de la vitamina K para el tromboembolismo venoso sintomático (Revisión Cochrane traducida). En: La Biblioteca Cochrane Plus, 2007 Número 1. Oxford: Update Software Ltd. Disponible en: <http://www.update-software.com>. (Traducida de The Cochrane Library, 2007 Issue 1. Chichester, UK: John Wiley & Sons, Ltd.).

28. Johnson MS. Current strategies for the diagnosis of pulmonary embolus. *J Vasc Interv Radiol* 2002;13:13-23.
29. Kearon C, Ginsberg JS, Julian JA, Douketis J, Solymoss S, Ockelford P, Jackson S, Turpie AG, MacKinnon B, Hirsh J, Gent M; Fixed-Dose Heparin (FIDO) Investigators. Comparison of fixed-dose weight-adjusted unfractionated heparin and low-molecular-weight heparin for acute treatment of venous thromboembolism. *JAMA*. 2006; 296:935-42.
30. Kelly J, Rudd A, Lewis RR, Hunt BJ. Plasma D-dimers in the diagnosis of venous Thromboembolism. *Arch Intern Med* 2002;162:747-56.
31. Kline JA, Michelson EA, O'Neil BJ. Bedside Diagnostic Tests for Pulmonary Embolism. *JAMA* 2001;285 (18):2326-7.
32. Kucher N, Rossi E, De Rosa M, Goldhaber SZ. Prognostic role of echocardiography among patients with acute pulmonary embolism and a systolic arterial pressure of 90 mm Hg or higher. *Arch Intern Med*. 2005; 165:1777-1781.
33. Kucher N, Goldhaber SZ. Cardiac biomarkers for risk stratification of patients with acute pulmonary embolism. *Circulation*. 2003;108:2191-2194.
34. Kumar AM, Parker JA. Ventilation/perfusion scintigraphy. *Emerg Med Clin North Am* 2001;19:957-73. Donkers-van Rossum AB. Diagnostic strategies for suspected pulmonary embolism. *Eur Respir J* 2001; 18:589-97.
35. Lee AY, Hirsh J. Diagnosis and treatment of venous thromboembolism. *Annu Rev Med* 2002;53:15-33.
36. Leibowitz D. Role of echocardiography in the diagnosis and treatment of acute pulmonary thromboembolism. *J Am Soc Echocardiogr* 2001;14:921-6.
37. Mavromatis BH, Kessler CM. D-dimer testing: the role of the clinical laboratory in the diagnosis of pulmonary embolism. *J Clin Pathol* 2001;54:664-8.
38. Nijkeuter M, Hovens MM, Davidson BL, Huisman MV. Resolution of thromboembolism in patients with acute pulmonary embolism: a systematic review. *Chest*. 2006;129:192-7.
39. Miniati M, Monti S, Pratali L, Di Ricco G, Marini C, Formichi B, et al. Value of transthoracic echocardiography in the diagnosis of pulmonary embolism: result of a prospective study in unselected patients. *Am J Med* 2001;110(7) :528-35.
40. Palareti G, Cosmi B, Legnani C, Tosetto A, Brusi C, Iorio A, Pengo V, Ghirarduzzi A, Pappacini C, Testa S, Lensing AW, Tripodi A; PROLONG Investigators. D-dimer testing to determine the duration of anticoagulation therapy. *N Engl J Med*. 2006; 355: 1780- 9.
41. Schoepf UJ, Kucher N, Kipfmüller F, Quiroz R, Costello P, Goldhaber SZ. Right ventricular enlargement on chest computed tomography: a predictor of early death in acute pulmonary embolism. *Circulation*. 2004;110:3276 –3280.
42. Schuur J. Bedside Diagnostic Tests for Pulmonary Embolism. *JAMA* 2001;285 (18):2326-7.
43. Segal JB, Streiff MB, Hofmann LV, Thornton K, Bass EB. Management of venous thromboembolism: a systematic review for a practice guideline. *Ann Intern Med*. 2007; 146:211-22.

44. Snow V, Qaseem A, Barry P, Hornbake ER, Rodnick JE, Tobolic T, Ireland B, Segal JB, Bass EB, Weiss KB, Green L, Owens DK; American College of Physicians; American Academy of Family Physicians Panel on Deep Venous Thrombosis/Pulmonary Embolism. Management of venous thromboembolism: a clinical practice guideline from the American College of Physicians and the American Academy of Family Physicians. Ann Intern Med. 2007; 146:204-10.
45. Stein PD, Fowler SE, Goodman LR, Gottschalk A, Hales CA, Hull RD, Leeper KV Jr, Popovich J Jr, Quinn DA, Sos TA, Sostman HD, Tapson VF, Wakefield TW, Weg JG, Woodard PK; PIOPED II Investigators. Multidetector computed tomography for acute pulmonary embolism. N Engl J Med. 2006; 354: 2317-27.
46. Stein PD, Hull RD, Patel KC, et al. D-dimer for the exclusion of deep venous thrombosis and acute pulmonary embolism: a systematic re-view. Ann Intern Med. 2004;140:589-602.
47. Stein PD, Woodard PK, Weg JG, Wakefield TW, Tapson VF, Sostman HD, Sos TA, Quinn DA, Leeper KV Jr, Hull RD, Hales CA, Gottschalk A, Goodman LR, Fowler SE, Buckley JD; PIOPED II investigators. Diagnostic pathways in acute pulmonary embolism: recommendations of the PIOPED II investigators. Am J Med. 2006; 119:1048-55.
48. Sostman HD. MRA for diagnosis of venous thromboembolism. Q J Nucl Med 2001;45:311-23.
49. The PIOPED investigators. Value of ventilation/perfusion scan in acute pulmonary embolism. Results of the prospective investigation of pulmonary embolism diagnosis (PIOPED). JAMA 1990;263:2753.
50. Uresandi F, Blanquer J, Conget F, de Gregorio MA,. Lobo JL, Otero R, Pérez Rodríguez E, Monreal M, Morales P. Guía para el diagnóstico, tratamiento y seguimiento de la tromboembolia pulmonar. Arch Bronconeumol 2004; 40: 580-94
51. Velmahos GC, Vassilius P, Wicox A, Hanks SE, Salim A, Harrel D, et al. Spiral Computed Tomography for the Diagnosis of Pulmonary Embolism in Critical ill Surgical Patients: A Comparison with Pulmonary Angiography. Arch Surg 2001; 136 (5): 505-510.
52. Wells PS, Ginsberg JS, Anderson DR, Kearon C, Gent M, Turpie AG et al. Use of a clinical model for safe management of patients with suspected pulmonary embolism. Ann Intern Med. 1998;129:997-1005.

BIBLIOGRAFÍA CONSULTADA EN EL SUBPROCESO: CUIDADOS DE ENFERMERÍA EN PACIENTES CON DOLOR TORÁCICO POTENCIALMENTE GRAVE (además de la referida en el Proceso de Dolor Torácico no filiado)

1. Aldasoro, Elena; Calvo, Montse; Esnaola, Santiago; Hurtado de Saracho, Iraida; Alonso, Eva; Audicana, Covadonga; Arós, Fernando; Lekuona, Iñaki; Arteagoitia, José M; Basterretxea, Mikel; Marrugat, Jaime. Diferencias de género en el tratamiento de revascularización precoz del infarto agudo de miocardio. *Med Clínica* 2007;128:81-85.
2. Ariza Olarte, Claudia. Atención de enfermería al paciente con infarto agudo de miocardio en la fase aguda. *Rev Enferm Cardiol* 2001;8:33-40.
3. Azaldegui Berroeta, F. Manejo extrahospitalario del dolor torácico no traumático. *Sal Rural* 2004;21:17-38.
4. García Mora, Sandra Isabel. Enfermería ante el dolor torácico de origen cardiológico en una unidad de hospitalización. *Rev Enferm Cardiol* 2005;12:45-49.
5. Goldich, Guy. Infarto de miocardio: los nuevos protocolos *Nursing* 2006;9:30-33.
6. Gregoire J. Evaluating thoracic pain in triage. *Perspect Infirm.* 2006; 3:33-6.
7. Jenifer M; Miracle V. Utilización del ECG para detectar el infarto de miocardio. *Nursing* 2000;18(1):17-22.
8. López de la Iglesia, J; Martínez Ramos, E; Pardo Franco, L; Escudero Álvarez, S; Cañón de la Parra, RI; Costas Mira, MT. Encuesta a los pacientes con cardiopatía isquémica sobre el modo de actuación ante los distintos síntomas de alarma. *Aten Primaria* 2003; 31:239-247.
9. Martín-Rabadán, M. No informamos a los pacientes con cardiopatía isquémica sobre 'cómo actuar' al reaparecer el dolor torácico. *GCS* 2003; 5(4):143.
10. McCloskey, DJ; Bulecheck, TG;; editoras. Clasificación de intervenciones en enfermería (NIC). 4^a ed. Madrid: Mosby; 2005.
11. Moorhead, S; Jhonson, M; Maas, M; editoras. Clasificación de resultados de enfermería (NOC). 3^a ed. Madrid: Mosby; 2005.
12. NANDA. Nanda Diagnósticos enfermeros: definiciones y clasificación 2005-2006. Madrid: Elsevier; 2007.
13. Nolan, J; Greenwood, J; Mackintosh, A. Atención Urgente y primeros cuidados al paciente con infarto agudo de miocardio. *Salud Rural*,1999; 16:69-72.
14. Portuondo Maseda, MT; Marugán Torres, P; Cabrero Fernández, F; Morales Durán, M; Maroto Montero, JM; Muriel, A. Sobrepeso y deshabituación tabáquica. *Rev Enferm Cardiol* 2006; 13:41-43.
15. Silva Paiva , G da; Oliveira Lopes, MV. Respuestas humanas identificadas en pacientes con infarto agudo del miocardio ingresados en una unidad de terapia intensiva. *Rev Enferm Cardiol* 2005; 12:22-27.