



# 12

## **Bibliografía**

1. Arrabal Martín M, Lancina Martín JA, García Pérez M. Criterios clínicos y tratamiento actual de la litiasis urinaria. ENE ediciones. Madrid. 1990; pag. 1-296
2. Aibar Arregui MA, Gutiérrez Samper AP, Rodrigo Val MP, Laborda Ezquerro K, Hernández Bono AB, Blasco Villacampa G. Litiasis renal en área III de Zaragoza: bioquímica y epidemiología. *Actas Urol Esp.* 2004; 28(9):661-5
3. Trinchieri A. Epidemiological trends in urolithiasis: impact on our health care systems. *Urol Res.* 2006; 34(2):151-6
4. Chaussy CH, Brendel A, Schmiedt E. Extracorporeally induced destruction of kidney stones by shock waves. *Lancet.* 1980; 1:1265
5. Arrabal Martín M, Grupo de Litiasis de la AEU. Litotricia extracorpórea en España en el siglo XX. *Actas Urol Esp.* 2000; 24: 699
6. Sánchez-Martín FM, Millán Rodríguez F, Esquena Fernández S, Segarra Tomás J, Rousaud Barón F, Martínez-Rodríguez R, et al. Incidence and prevalence of urolithiasis in Spain: Review of currently available original data. *Actas Urol Esp.* 2007; 31(5):511-20
7. Daudon M. Epidemiology of nephrolithiasis in France. *Ann Urol.* 2005; 39(6):209-31
8. Victoriano Romero MD, Akpınar Haluk MD, Dean G Assimos MD. Kidney stones: a global picture of prevalence, incidence, and associated risk factors. *Rev Urol.* 2010; 12(2-3): 86-96
9. Un espacio compartido, Plan de Calidad Sistema Sanitario Público de Andalucía 2010-2014. Ed. Junta de Andalucía. Consejería de Salud. 2010
10. Dotor Gracia, M, Fernández García, E y cols. Guía de diseño y mejora continua de Procesos Asistenciales Integrados. Ed. Junta de Andalucía. Consejería de Salud. 2010
11. [http://www.juntadeandalucia.es/agencia-decalidadsanitaria/observatorioseguridadpaciente/gestor/sites/PortalObservatorio/es/memu/practicasSeguras/Practicas\\_seguras\\_en\\_Cirugía\\_y\\_Anestesia](http://www.juntadeandalucia.es/agencia-decalidadsanitaria/observatorioseguridadpaciente/gestor/sites/PortalObservatorio/es/memu/practicasSeguras/Practicas_seguras_en_Cirugía_y_Anestesia). (Acceso febrero 2011)
12. Soluciones para la seguridad del paciente. Centro Colaborador de la OMS sobre Soluciones para la Seguridad del Paciente. Ginebra: Organización Mundial de la Salud; 2007.
13. Ley 41/2002 de 14 de noviembre, básica reguladora de la autonomía del paciente y de derechos y obligaciones en materia de información y documentación clínica.
14. Camacho Diaz JA, Vila Cots J. Litiasis renal. Asociación Española de Pediatría. Protocolos Nefrología Infantil/Litiasis renal. <http://www.aeped.es/documentos/protocolos-nefrologia>. [http://www.aeped.es/sites/default/files/documentos/17\\_3.pdf](http://www.aeped.es/sites/default/files/documentos/17_3.pdf)
15. Türk C, Knoll T, Petrik A, Sarica K, Straub M, Seitz C. Guideline on Urolithiasis. European Association of Urology 2011. [http://www.uroweb.org/gls/pdf/18\\_Urolithiasis.pdf](http://www.uroweb.org/gls/pdf/18_Urolithiasis.pdf)
16. Fábregas Ecurriola M, Solorzano Cortijo Y, Aragonés Forés R. GPC, Litiasis renal y cólico renal. *Fisterra* 2011
17. Plan Andaluz de atención a personas con dolor 2010-2013. [http://www.asociacionandaluzadeldolor.es/plan\\_dolor.pdf](http://www.asociacionandaluzadeldolor.es/plan_dolor.pdf)
18. Guía Terapéutica SEMFYC . 4ª Edición, mayo 2011
19. Tekgül S, Riedmiller H, Gerharz E, Hoesbeke P, Kocvara R, Nijman R, Radmayr Chr, Stein R. Guideline on Pediatric Urology. European Society for Paediatric Urology . European Association of Urology 2010.
20. Guía Terapéutica SEMFYC . 3ª Edición, 2010
21. Proceso Asistencial Integrado. Sepsis grave. Consejería de Salud. Junta de Andalucía. Sevilla. Consejería de Salud, 2010; pag. 1-168
22. [http://www.juntadeandalucia.es/salud/sites/cs-lud/contenidos/Informacion\\_General/p\\_3\\_p\\_11\\_procedimiento\\_consentimiento\\_informado](http://www.juntadeandalucia.es/salud/sites/cs-lud/contenidos/Informacion_General/p_3_p_11_procedimiento_consentimiento_informado)

23. Türk C, Knoll T, Petrick A, Sarica C, Straub M, Traxer O. Guideline on Urolithiasis. European Association of Urology 2010. [http://uroweb.org/gls/pdf/Urolithiasis%2010, pdf](http://uroweb.org/gls/pdf/Urolithiasis%2010.pdf)
24. Moorhead S, Johnson M. Clasificación de Resultados Enfermeros (NOC). Cuarta Edición. Elsevier España. Barcelona 2009
25. Bulechek GM, Butcher HK, Mcloskey Dochterman J. Clasificación de intervenciones de enfermería (NIC). Quinta Edición. Elsevier Mosby. Barcelona 2009
26. Shokeir AA. Renal colic: pathophysiology, diagnosis and treatment. *Eur Urol*. 2001 Mar;39(3):241-9
27. Bader P, Echtle D, Fonteyne V, Livads K, De Meerleer G, Paez Borda A, Papaioannou EG, Vranken JH. Guidelines on Pain Management. European Association of Urology 2010.
28. Pais (H) VM, Strandhoy JW, Assimos DG. Fisiopatología de la obstrucción del tracto urinario. EN Campbell-Walsh: Urología; 9ª Edición. Buenos Aires: Editorial Panamericana. 2008; Tomo 2: pad. 1195-1226
- 29.- Singh A, Alter HJ, Littlepage A. Asystematic Review of medical therapy to facilitate pasaje de ureteral calculi. *Ann Emer Med*. 2007; 50 (5): 552-63
30. Seitz C, Liatsikos E, Porpiglia F, Tiselius HG, Zwergel U. Medical therapy to facilitate the passage of stones: what is the evidence?. *Eur Urol*. 2009; 56 (3): 455-71
31. Dellabella M, Milanese G, Muzzonigro G. Randomized trial of the efficacy of tamsulosin, nifedipine and phloroglucinol in medical expulsive therapy for distal ureteral calculi. *J urol*. 2005; 174 (1):167-72
32. Parsons JK, Hergan LA, Sakamoto K, Lakin C. Efficacy of alpha-blockers for the treatment of ureteral stones. *J Urol*. 2007; 177(3): 983-7
33. Sáenz Medina J, Alarcón Parra RO, Redondo González E, Llanes González L, Crespo Martínez L, Fernández Montarroso L, Duran Poveda M, Paez Borda A. Factores predictivos para la expulsión de la litiasis ureteral. *Actas Urol Esp*. 2010; 34 (10): 882-87
34. Nephrolithiasis Clinical Guidelines panel. the management of ureteral calculi; Diagnosis and treatment recommendations. American Urological Association. 2007
35. Lingeman JE, Matlaga BR, Evan AP. Tratamiento quirúrgico de los cálculos en las vías urinarias superiores. En Campbell-Walsh: Urología. 9ª Edición. Buenos Aires: Editorial Panamericana. 2008; Tomo 2: pag. 1431-1507
36. Jindal G, Ramchandani P. Acute flank pain secondary to urolithiasis: Radiologic evaluation and alternate diagnoses. *Radiol Clin North Am*. 2007; 45:395-410
37. Franco A, Tomás M, Alonso-Burgos A. La urografía intravenosa ha muerto, ¡viva la tomografía computarizada!. *Actas Urol Esp*. 2010; 34(9):764-774
38. Wang JH, Shen SH, Huang SS, Chang CY. Prospective comparison of unenhanced spiral computed tomography and intravenous urography in the evaluation of acute renal colic. *J Chin Med Assoc*. 2008; 71:30-6
39. Sudah M, Vanninen RL, Partanen K, Kainulainen S, Malinen A, Heino A, et al. Patients with acute flank pain: Comparison of MR urography with unenhanced helical CT. *Radiology*. 2002; 223:98-105
40. Poletti PA, Platon A, Rutschmann OT, et al. Low-dose versus standard-dose CT protocol in patients with clinically suspected renal colic. *Am J Roentgenol*. 2007;188(4):927-33
41. Niemann T, Kollmann T, Bongartz G. Diagnostic performance of low-dose CT for the detection of urolithiasis: a meta-analysis. *Am J Roentgenol*. 2008;191(2):396-401
42. Van Der Molen AJ, Cowan NC, Mueller-Lisse UG, et al. CT urography: definition, indications and

techniques. A guideline for clinical practice. *Eur Radiol.* 2008;18(1):4-17

43. Brener ZZ, Winchester JF, Salman H, Bergman M. Nephrolithiasis: evaluation and management. *South Med J.* 2011; 104(2):133-9

44. Vrtiska TJ, Krambeck AE, McCollough CH, Leng S, Qu M, Yu L, Lieske JC. Imaging evaluation and treatment of nephrolithiasis: an update. *Minn Med.* 2010; 93(8):48-51

45. Lancina Martín JA., Arrabal Martín M, Lázaro J, Grases F, y cols. Análisis del cálculo en la era de la litotricia extracorpórea. *Actas Urol Esp.* 2001; 25 (6): 462

46. Gracia-García S, Millán-Rodríguez F, Rousaud-Barón F y cols. Por que y cómo hemos de analizar los cálculos urinarios. *Actas Urol Esp.* 2011; 35(6):354-62

47. Arrabal Martín M, Baena González V, Camacho González JE, y cols. Recomendaciones para el diagnóstico y tratamiento – Urología. Ed. Servicio Andaluz de Salud. Sevilla 2004

48. Jawalekar S, Surve VT, Bhutey AK. The composition and quantitative analysis of urinary calculi in patients with renal calculi. *Nepal Med Coll J.* 2010; 12(3):145-8

49. Yuan L, Yirong C, Wei Z, Xiaogang H, Wenhui L, Xiaorui R, Min M, Xinsheng X, Gang H, Baoguang S, Gang L, Weihua L, Hui X. Study of Stone Composition Changes in Melamine-related Urinary Calculi and Its Clinical Significance. *Urology.* 2011; 78(2): 417-20

50. Alaya A, Nouri A, Najjar MF. Urinary stone composition in pediatric patients: a retrospective study of 205 cases. *Clin Chem Lab Med.* 2011; 49(2):243-8

51. Leusmann, DB. A classification of urinary calculi with respect to their composition and micro-morphology. *Scand J Urol Nephrol.* 1991; 25: 141

52. Grases F, Conte A, Costa-Bauzá A, Ramis M. Tipos de cálculos renales. Relación con la bioquímica urinaria. *Arch Esp Urol.* 2001; 54(9):861-71

53. Daudon M, Bader CA, Jungers P. Urinary calculi: Review of classification methods and correlations with etiology. *Scanning Microsc.* 1993, 7(3):1081-104

54. Aguilier J, Rodríguez T, Arrabal M. Estado actual del análisis de los cálculos urinarios. "in" Arrabal Martín M; Lancina Martín JA; García Pérez M.: Criterios clínicos y tratamiento actual de la litiasis urinaria. ENE ediciones. Madrid. 1990; pag. 44-59

55. Gracia-García S, Millán-Rodríguez F, Rousaud-Barón F y cols. Por que y cómo hemos de analizar los cálculos urinarios. *Actas Urol Esp.* 2011; 35(6):354-62

56. Cervera A, Corral MJ, Gomez FJ, y cols. Idiopathic hypercalciuria in children. Classification, clinical manifestations and outcome. *Acta paediatr Scand.* 1987; 76:271

57. Evan AP. Physiopathology and etiology of stone formation in the kidney and the urinary tract. *Pediatr Nephrol.* 2010; 25(5):831-41

58. Straub M, Strohmaliel WL, Berg W et al. Diagnosis and metaphylaxis of stone disease. Consensus concept of the National Working Committee on Stone Disease for the Upcoming German Urolithiasis Guideline. *World J Urol.* 2005; 23(5): 309-23

59. Arrabal Martín M, Reina Ruiz MC, Lancina Martín JA, Vilches Cocovi E, García Pérez M. Clínico-therapeutic classification of urinary lithiasis. *Arch Esp Urol.* 1992; 45(7):661-71

60. Schade GR, Faerber GJ. Urinary tract stones. *Prim Care.* 2010; 37(3):565-81

61. Conte Visús A. Tratamiento integral de la litiasis renal. Presente y futuro. *Actas Urol. Esp.* 1996; 20: 677-680

62. Reina Ruiz C, Arrabal Martín M, Campoy Martínez P, Blasco Hernández P, Camacho Martínez E, García Pérez M. CEP/LTS-X: a simple clinical classification of urinary calculi. *Ann Urol (Paris).* 1995; 29(6-7):325-32

63. Katz S, Lane, MJ, Sommer FG. Unenhanced

- helical CT of ureteral stones: Incidence of associated urinary tract findings. *Am J Roentgenol.* 1996; 166: 1319-1322
64. Bell TV, Fenlon HM, Davison BD. Unenhanced helical CT criteria to differentiate distal ureteral calculi from pelvic phleboliths. *Radiology.* 1998; 207: 363-367
65. Chaussy Ch, Schmiedt E, Frossmann B, Brendel W. Contact-free renal stone destruction by means of shocks waves. *Eur Surg Res.* 1979; 11: 36
66. Chaussy Ch, Brendel W, Schmiedt E. Extracorporeally induced destruction of kidney stones by shock waves. *Lancet.* 1980; 13:1265
67. Ruiz Marcellán FJ, Ibarz Servio L. Litotricia por ondas de choque. Indicaciones y resultados. *Actas Urol Esp.* 1986; 10: 247
68. Ibarlucea González G, Gamarra Quintanilla M, Gallego Sánchez JA, y cols. Litotricia renal percutánea. Evolución, indicaciones y metodología actual en nuestra Unidad de Litotricia. *Arch Esp Urol.* 2001; 54(9): 951-59
69. Arrabal Martín M, Banus Gassol JM, Boronat Tormo F, Lancina Martín JA, Lovaco Castellano, F, Torrecilla Ortiz C. Tratamiento actual de la litiasis coraliforme. Valoración de la cirugía, técnicas percutáneas y litotricia por ondas de choque. *Actas Urol Esp.* 1997; 21(10):1027
70. Canseco G, de Icaza-Herrera M, Fernández F, Loske AM. Modified shock waves for extracorporeal shock wave lithotripsy: A simulation based on the Gilmore formulation. *Ultrasonics.* 2011; 51(7):803-10
71. Lambert EH, Walsh R, Moreno MW, Gupta M. Effect of escalating versus fixed voltage treatment on stone comminution and renal injury during extracorporeal shock wave lithotripsy: a prospective randomized trial. *J Urol.* 2010;183(2):580-4
72. Alken P, Hutschenreiter R, Gunther R, Marberger M. Percutaneous stone manipulation. *J Urol.* 1981; 125: 463-69
73. Miller RA, Payne SR, Wickham JE. Review of accessories for percutaneous renal surgery. *Br J Urol.* 1984; 56(6):577-81
74. Banus Gassol JM, Palou Redorta J, Morote Robles J, Soler Rosello A. Nefrolitotomía percutánea: Técnica y resultados. *Arch Esp Urol.* 1986; 39 (Supl 2): 161-69
75. Valdivia Uria, JG, Lanchares E, Villarroya S, y cols. Nefrolitotomía percutánea: Técnica simplificada. *Arch Esp Urol.* 1987; 40: 177
76. Mishra S, Sharma R, Garg C, Kurien A, Sabnis R, Desai M. Prospective comparative study of Miniperc and standard PNL for treatment of 1 to 2 cm size renal stone. *Br J Urol.* 2011; 8: 1464-1468
77. Herrera-Gonzalez G, Netsch C, Oberhagemann K, Bach T, Gross AJ. Effectiveness of single flexible ureteroscopy for multiple renal calculi. *J. Endourol.* 2011; 25(3):431-5
78. Geavlete P, Multescu R, Geavlete B. Retrograde flexible ureteroscopy: reshaping the upper urinary tract endourology. *Arch Esp Urol.* 2011; 64(1):3-13
79. Preminger y col. *Nephrolithiasis Clinical Guidelines.* American Urological Association. 2005.
80. Lingeman JE, Matlaga BR, Evan AP. Tratamiento quirúrgico de los cálculos en las vías urinarias superiores. En *Campbell-Walsh: Urología.* 9º edición. Buenos Aires. Editorial Panamericana. 2008; Tomo 2: pag. 1431-1507
81. Busby JE, Low RK. Tratamiento uretroscópico de la litiasis renal. *Urol Clin N Am.* 2004; 1: 79-88.
82. Gonzalo Rodríguez V, Trueba Arguiñerena FJ, Rivera Ferro J, Fernández del Busto E. *Arch Esp Urol.* 2008; 61 (7):799-807
83. Lancina JA, Arrabal M. *Fisiopatología de la litiasis urinaria. "in" Arrabal Martín, M.; Lancina Martín, JA.; García Pérez, M.: Criterios clínicos y tratamiento actual de la litiasis urinaria. ENE ediciones. Madrid. 1990; pag. 60-82*

84. Cansino Alcalde JR, Hidalgo Tagores L, y cols. Treatment of urinary stones with laser in special conditions. *Arch Esp Urol*. 2008; 61(9): 1111-14
85. Arrabal-Polo MA, Arrabal-Martín M, Miján-Ortiz JL, Valle-Díaz F, López-León V, Merino-Salas S, Zuluaga-Gómez A. Treatment of ureteric lithiasis with retrograde ureteroscopy and holmium: YAG laser lithotripsy vs extracorporeal lithotripsy. *BJU Int*. 2009; 104(8):1144-7
86. Miller OF, Kane CJ: Time to stone passage for observed ureteral calculi: a guide for patient education. *J Urol*. 1999; 162(3 Pt 1):688-90
87. Preminger GM, Tiselius HG, Assimos DG, et al. American Urological Association Education and Research, Inc; European Association of Urology. *Eur Urol*. 2007; 52(6):1610-31
88. Seitz C, Liatsikos E, Porpiglia F, Tiselius HG, Zwergel U. Medical Therapy to Facilitate the Passage of Stones: What Is the Evidence?. *Eur Urol*. 2009;56(3):455-71.
89. Arrabal-Martín M, Valle-Díaz de la Guardia F, Arrabal-Polo MA, Palao-Yago F, Miján-Ortiz JL, Zuluaga-Gomez A. Treatment of ureteral lithiasis with tamsulosin: literature review and meta-analysis. *Urol Int*. 2010; 84(3):254-9
90. Zhang MY, Ding ST, Lü JJ, Lue YH, Zhang H, Xia QH. Comparison of tamsulosin with extracorporeal shock wave lithotripsy in treating distal ureteral stones. *Chin Med J (Engl)* 2009; 122(7):798-801
91. Bierkens AF, Hendrikx AJ, De La Rosette JJ, Stultiens GN, Beerlage HP, Arends AJ, Debruyne FM. Treatment of mid and lower ureteric calculi: extracorporeal shock-wave lithotripsy vs laser ureteroscopy. A comparison of costs, morbidity and effectiveness. *Br J Urol*. 1998; 81: 31-5
92. Grasso M, Lang G, Taylor FC. Flexible Ureteroscopically Assisted Percutaneous Renal Access. *Tech Urol*. 1995; 1(1):39-43
93. Wu CH, Shee JJ, Lin WY et al. Comparison between extracorporeal shock wave lithotripsy and semirigid ureterorenoscope with Holmium:YAG laser lithotripsy for treating large proximal ureteral stones. *J Urol*. 2004; 172:1899-1902
94. Lam JS, Greene TD, Gupta M. Treatment of proximal ureteral calculi: holmium:YAG laser ureterolithotripsy versus extracorporeal shock wave lithotripsy. *J Urol*. 2002; 167: 1972-6
95. Arrabal-Martín M, Pareja-Vilches M, Gutiérrez-Tejero F, Miján-Ortiz JL, Palao-Yago F, Zuluaga-Gómez A. Therapeutic options in lithiasis of the lumbar ureter. *Eur Urol*; 2003; 43: 556-63
96. Bapat SS, Pai KV, Purnapatre SS, Yadav PB, Padye AS. Comparison of holmium laser and pneumatic lithotripsy in managing upper-ureteral stones. *J Endourol*. 2007; 21(12):1425-7
97. Sighinolfi MC, Micali S, De Stefani S, Pini GA, Rivalta M, Cianci F, Bianchi G. How effective is extracorporeal shock wave lithotripsy of ureteral stones with Dornier Lithotripter S EMSE 220F-XXP? A prospective and preliminary assessment. *Surg Endosc*. 2011; 25(3):943-6
98. Shao Y, Zhuo J, Sun XW, Wen W, Liu HT, Xia SJ. Nonstented versus routine stented ureteroscopic holmium laser lithotripsy: a prospective randomized trial. *Urol Res*. 2008; 36 :259-63
99. Hosking DH, Smith WE, McCole SE. A comparison of extracorporeal shock wave lithotripsy and ureteroscopy under intravenous sedation for the management of distal ureteric calculi. *Can J Urol*. 2003; 10:1780-4
100. Hollingsworth JM, Rogers MA, Kaufman SR, Bradford TJ, Saint S, Wei JT, Hollenbeck BK. Medical therapy to facilitate urinary stone passage: a meta-analysis. *Lancet*. 2006; 368(9542):1171-9
101. Byrne RR, Auge BK, Kourambas J, Munver R, Delvecchio F, Preminger GM. Routine ureteral stenting is not necessary after ureteroscopy and ureteropyeloscopy: a randomized trial. *J Endourol*. 2002; 16(1):9-13
102. Erturk E, Herrman E, Cockett AT. Extracorporeal shock wave lithotripsy for distal ureteral stones. *J Urol*. 1993; 149(6):1425-6

103. Byrne RR, Auge BK, Kourambas J, Munver R, Delvecchio F, Preminger GM. Routine ureteral stenting is not necessary after ureteroscopy and ureteropyeloscopy: a randomized trial. *J Endourol.* 2002; 16(1):9-13
104. Pearle MS, Pierce HL, Miller GL, Summa JA, Mutz JM, Petty BA, Roehrborn CG, Kryger JV, Nakada SY. Optimal method of urgent decompression of the collecting system for obstruction and infection due to ureteral calculi. *J Urol.* 1998; 160(4):1260-4
105. Dretler SP. Prevention of retrograde stone migration during ureteroscopy. *Nat Clin Pract Urol.* 2006; 3(2):60-1
106. Skreptis K, Doumas K, Siafakas I, Lykourinas M. Laparoscopic versus open ureterolithotomy. A comparative study. *Eur Urol.* 2001; 40(1):32-6
107. Goel A, Hemal AK. Upper and mid-ureteric stones: a prospective unrandomized comparison of retroperitoneoscopic and open ureterolithotomy. *BJU Int* 2001; 88(7): 679-82
108. Goel R, Aron M, Kesawani PK, Dogra PN, Hermal AK, Gupta NP. Percutaneous antegrade removal of impacted upper-ureteral calculi: still the treatment of choice in developing countries. *J Endourol.* 2005;19(1):54-7
109. El-Nahas AR, Eraky I, el-Assmy AM, Shoma AM, el-Kenaey MR, Abdel-Latif M, Mosbah A, Abol-Enein H, Shaaban AA, Mohsen T, el-Kappany HA. Percutaneous treatment of large upper tract stones after urinary diversion. *Urology.* 2006; 68(3):500-4
110. Moursy E, Gamal WM, Abuzeid A. Tamsulosin as an expulsive therapy for steinstrasse after extracorporeal shock wave lithotripsy: a randomized controlled study. *Scand J Urol Nephrol* 2010; 44:315-9
111. Rabbani SM. Treatment of steinstrasse by transureteral lithotripsy. *Urol J.* 2008; 5:89-93
112. Salazar R, Arrabal, M. Tratamiento de la litiasis del tracto urinario inferior. "in" Arrabal Martín, M.; Lancina Martín, JA.; García Pérez, M.: Criterios clínicos y tratamiento actual de la litiasis urinaria. ENE ediciones. Madrid. 1990; pag. 236-245
113. Mustafa M, Wadie BS. Bladder erosion of tension-free vaginal tape presented as vesical stone; management and review of literature. *Int Urol Nephro.* 2007; 39(2):453-5
114. Arrabal M, Noguerras M, Arrabal-Polo MA, Miján JL, Valle F, Zuluaga A. Tratamiento de la litiasis vesical con laser . *Arch. Esp. Urol.* 2008; 61(9):985-93
115. Bhatia V, Biyani CS. A comparative study of cystolithotripsy and extracorporeal shock wave therapy for bladder stones. *Int Urol Nephrol.* 1994; 26(1):26-31
116. Bhatia V, Biyani CS. Vesical lithiasis: open surgery versus cystolithotripsy versus extracorporeal shock wave therapy. *J Urol.* 1994; 151(3):660-2
117. Delakas D, Daskalopoulos G, Cranidis A. Experience with the Dornier lithotripter MPL 9000-X for the treatment of vesical lithiasis. *Int Urol Nephrol.* 1998; 30(6):703-12
118. Millán Rodríguez F, Tornero Ruiz J, López Llauradó H, Rousaud Barón F, Martí Malet J, Izquierdo Latorre F, Rousaud Barón A. Treatment of bladder lithiasis with shock-wave extracorporeal lithotripsy. *Actas Urol Esp.* 2001; 25(7):504-9
119. Duarte RJ, Mitre AI, Dénes FT, Giron AM, Koch VH, Arap S. Extracorporeal shock wave lithotripsy in children: Results and short-term complications. *J Pediatr.* 2002; 78(5):367-70
120. Wadhwa SN, Hemal AK, Sharma RK. Intracorporeal lithotripsy with the Swiss lithoclast. *Br J Urol.* 1994; 74(6):699-702
121. Iglesias Prieto JI, Pérez-Castro Ellendt E. Contact lithotripsy. Advantages and disadvantages. *Arch Esp Urol.* 2001; 54(9):885-93
122. Rané A, Kommu SS, Kandaswamy SV, Rao P, Aron M, Kumar R, Gupta N. Initial clinical eva-

- luation of a new pneumatic intracorporeal lithotripter. *BJU Int.* 2007; 100(3):629-32
123. Miller DC, Park JM. Percutaneous cystolithotomy using a laparoscopic entrapment sac. *Urology.* 2003; 62(2):333-6
124. Jennifer Yates, MD, August Zabbo, MD, and Gyan Pareek, MD\*. A Comparison of the FREDDY and Holmium Lasers During Ureteroscopic Lithotripsy. *Lasers in Surgery and Medicine.* 2007; 39:637-640
125. Ramakrishnan PA, Medhat M, Al-Bulushi YH, Gopakumar KP, Sampige VP, Al-Busaidy SS. Holmium laser cystolithotripsy in children: initial experience. *Can J Urol.* 2005; 12(6):2880-6
126. Aron M, Goel R, Gautam G, Seth A, Gupta NP. Percutaneous versus transurethral cystolithotripsy and TURP for large prostates and large vesical calculi: refinement of technique and updated data. *Int Urol Nephrol.* 2007; 39(1):173-7
127. Shah HN, Hegde SS, Shah J, Mahajan AP, Bansal MB. Simultaneous transurethral cystolithotripsy with holmium laser enucleation of the prostate: a prospective feasibility study and review of literature. *BJU Int.* 2007; 99(3):595-600
128. Miller DC, Park JM. Percutaneous cystolithotomy using a laparoscopic entrapment sac. *Urology.* 2003; 62(2):333-6
129. Asci R, Aybek Z, Sarikaya S, Büyükalpelli R, Yilmaz AF. The management of vesical calculi with combined optical mechanical cystolithotripsy and transurethral prostatectomy: is it safe and effective? *BJU Int.* 1999; 84(1):32-6
130. Papatsoris AG, Varkarakis I, Dellis A, Deliveliotis C. Bladder lithiasis: from open surgery to lithotripsy. *Urol Res.* 2006; 34(3):163-7
131. Esquena S, Millán Rodríguez F, Sánchez-Martin FM, Rousaud Baron F, Marchant F, Villavicencio Mavrich H. Cólico renal: Revisión de la literatura y evidencia científica. *Actas Urol Esp.* 2008; 30 (3): 268-80
132. Pearle MS, Lotan Y. Litiasis urinaria: etiología, epidemiología y patogenia. En Campbell-Walsh: *Urología.* 9ª edición. Buenos Aires: Editorial Panamericana. 2008; Tomo 2: pag. 1363-92
133. Semins MJ, Matlaga BR. Management of stone in pregnancy. *Curr Opin Urol.* 2010; 20: 174-7
134. Torrecilla C, Colom S, Contreras J, Trilla E, Arbelaez S, Serrallach N. Tratamiento actual de la litiasis en malformaciones congénitas renoureterales. *Arch Esp Urol.* 2001; 54(9): 926-36
135. Srirangam SJ, Hickerton B, Van Cleynenbreugel B. Management of urinary calculi in pregnancy. *J Endourol.* 2008; 22: 867-75
136. Loughlin KR. Radiología urológica durante el embarazo. *Urol Clin N Am.* 2007; 34: 23-26
137. Pais VM, Payton AL, Lagrange CA. Urolitiasis en el embarazo, *Urol Clin N Am.* 2007; 34: 43-52.
138. Salgado A. Metamizol magnésico. <http://www.thejog.com/urgencias/67.html>
139. Shrim A, Garcia-Bournissen F, Koren G. Productos farmacéuticos y embarazo en el ejercicio de la urología. *Urol Clin N Am.* 2007; 34: 27-33.
140. Thomas Ben G. Management of stones in childhood. *Curr Opin Urol.* 2010; 20: 159-62
141. Srivastava T, Alon U. Urolithiasis in adolescent children. *Adolesc Med Clin* 2005; 16:87-109
142. Archivos venezolanos de puericultura y pediatría 2006; Vol 69 (3): 113-117.
143. Torrecilla Ortiz C, Gonzalez-Sauté C, Riera Canales L, Colom Feixas S, Franco Miranda E, Angulo Lucia F, Serrallach Mila N. Incidence and treatment of urinary lithiasis in renal transplantation. *Actas Urol Esp.* 2001; 25 (3): 357-363
144. Kälble T, Alcaraz A, Budde K, Humke U, Karam G, Lucan M, Nicita G, Süsal C. Guidelines on renal transplantation. *European Association of Urology* 2010
145. De Fata Chillón F, Nuñez Mora C, García Mediero JM, Alonso Dorrego JM, Hidalgo Togoeres



- I, De la Peña Barthel JJ. *Actas Urol. Esp.* 2001; 27(1): 39-42
146. Barry JM, Jordan ML, Conlin MJ. Trasplante renal. En *Campbell-Walsh Urología*; 9ª edición. Editorial Panamericana. 2008. Pag. 1295-1324
147. Dahl DM, Scott McDougall W. Uso de segmentos intestinales para derivación urinaria. En *CAMPBELL-WALSH UROLOGÍA*; 9ª edición. Editorial Panamericana. 2008. Pag. 2534- 2578
148. Busby JE, Low RK. Tratamiento uretroscópico de la litiasis renal. *Urol Clin N Am.* 2004; 1: 79-88
149. Worcester EM, Coe FL. Nephrolithiasis. *Prim Care Clin Office Pract.* 2008; 35:369-91
150. Worcester EM, Coe FL. New insights into the Pathogenesis of Idiopathic Hypercalciuria. *Seminars in Nephrology.* 2008; 28(2):120-32
151. Pietrow PK, Preminger GM. Evaluation and Medical Treatment of Urinary Lithiasis. *Campbell-Walsh Urology.* 9th edition. Wein, Kavoussi, Novik, Partin and Peters editors. Saunders Elsevier Philadelphia 2007 Vol 2 Chapter 43. Pag. 1393-430
152. Curhan GC. Epidemiology of Stone Disease. *Urol Clin N Am.* 2007; 34:287-93
153. Coe FL, Evan A, Worcester EM. Kidney Stone Disease. *J Clin Invest.* 2005; 115:2598-608
154. Parks JH, Coe FL et al. Clinical and laboratory characteristics of calcium stone-formers with and without primary hyperparathyroidism. *BJU Int.* 2008; 103: 670-78
155. Ngo TC, Assimos DG. Uric Acid Nephrolithiasis: Recent Progress and Future Directions. *Rev Urol* 2007; 9(1): 17-27
156. Daudon M. Epidemiologie actuelle de la lithiase renale en France. *EMC Urologie.* 2005. Pag. 18-104-A-21
157. Biyani CS, Cartledge JJ. Cystinuria. Diagnosis and treatment. *EAU-EBU Update Series.* 2006; 4:175-83
158. Melander C, Cornu J, et al. Particularités des lithiases en dehors des lithiases caliques. *Lithiase cystinique.* EMC Urologie. 2009. Pag. 18-104-B-10.
159. Asplin JR Evaluation of the Kidney Stone Patient. *Semin Nephrol.* 2008; 28:99-110
160. Assimos DG. Evaluation of stone former. 2nd International Consultation on Stone Disease. 2007. (on line) <http://www.urotoday.com/siu-center-for-stones-261/center-for-urinary-stone-disease-2211733.html>
161. Pearle MS, Lotan Y. Urinary lithiasis: Etiology, Epidemiology and Pathogenesis. *Campbell-Walsh Urology.* 9th edition. Wein, Kavoussi, Novik, Partin and Peters editors. Saunders Elsevier Philadelphia 2007 Vol 2. Chapter 42. Pag. 1363-92
162. Pearle MS, Roehrborn CG, et al. Meta-analysis of randomized trials of medical prevention of calcium oxalate nephrolithiasis. *J Endourol.* 1999; 13:679-85
163. Lotan Y, Cadeddu JA, Pearle MS. International comparison of cost effectiveness of medical management strategies for nephrolithiasis. *Urol Res.* 2005; 33: 223-30
164. Borghi L, Meschi T, et al. Urine volume: stone risk factor and preventive measure. *Nephron.* 1999; 81 (suppl 1): 31-7
165. Pearle MS. 2nd International Consultation on Stone Disease. 2007 (on line). <http://www.urotoday.com/media/presentations>
166. Borghi L, Meschi T, et al. Dietary therapy in idiopathic nephrolithiasis. *Nutrition Rev.* 2006; 64(7):301-12
167. Borghi L, Schiani T, et al. Comparison of two diets for the prevention of recurrent stones in idiopathic hypercalciuria. *N Engl J Med.* 2002; 346 (2): 77-84
168. Bataille P, Presne C, Fournier A. Prevention of recurrent stones in idiopathic hypercalciuria. *N Engl J Med.* 2002; 346(21):1667-9

169. Nouvenne A, Meschi, T et al. Effects of low salt diet on idiopathic hypercalciuria in calcium stone formers: a 3-mo randomized controlled trial. *Am J Clin Nutr.* 2010; 91 (3): 565-70
170. Fink HA, Akomor JW et al. Diet, fluid or supplements for secondary prevention of nephrolithiasis: A systematic review and meta-analysis of randomized trials. *Eur Urol.* 2009; 56: 72-80
171. Sakhaee K. Recent advances in the pathophysiology of nephrolithiasis. *Kidney Int.* 2009; 75:585-95
172. Huen SC, Goldfarb DS. Adverse metabolic side effects of thiazides: implications for patients with calcium nephrolithiasis. *J Urol.* 2007; 177:1238-43
173. Moe OW, Pearle MS, Sakhaee K. Pharmacotherapy of urolithiasis: evidence from clinical trials. *Kidney Int.* 2011; 79(4):385-92
174. Coe F. Treatment trials in kidney stone disease. 2002 (on line).  
<http://www/hdcn.com/symp /02asn/coe/coe.htm>
175. Hoppe B, Beck BB, Milliner DS. The primary hyperoxalurias. *Kidney Int.* 2009; 75: 1264-71
176. Healy KA, Ogan K. Pathophysiology and management of infectious staghorn calculi. *Urol Clin N Am.* 2007; 34: 363-74
177. Pak CYC. Cystine lithiasis. "Urolithiasis. A medical and surgical reference" Resnik and Pak editors. Saunders. Philadelphia. 1990. Pag. 133-43